

RELIANCE

Rosa Power Supply
Company Limited
CIN: U3110MH1994PLC243148

Reliance Centre, Near Prabhat
Colony, Off Western Express
Highway, Santacruz (East)
Mumbai - 400055, India

Tel: +91 22 3303 1000
Fax: +91 22 3303 3662
www.reliancepower.co.in

Ref: RPSCL/Env/BMW/ 06/2022/03

Date: 15/06/2022

To,
The Member Secretary
Uttar Pradesh Pollution Control Board
TC 12 V, Vibhuti Khand,
Gomti Nagar,
Lucknow 226010

Sub: Submission Of Form – IV for Filling Annual Returns of CL 2021 with reference to Authorization under Bio Medical Wastes Management and Handling Rules, 2016 to Rosa Power Supply Co. Ltd, ADM Block, Hardoi Road, Shahjahanpur, UP.

Dear Sir,

With reference to the Authorisation under Bio Medical Wastes Management and Handling Rules, 2016 issued to us vide letter no. 8060/BMW-64/2020 dated 05.02.2020, please find enclosed herewith the copy of Form – 4 (Annual Return) for the Calendar Year 2021 (January 2021 to December 2021) for Stage I & II.

Thanking You,

For Rosa Power Supply Co. Ltd.


(Authorized Signatory)



✓ Cc: Regional Office UPPCB, 1219/1, E-Block, Rajendra Nagar, Bareilly-243122


16/06/22

Registered Office: Ground Floor, Reliance Centre, 19, Walchand Hirachand Marg, Ballard Estate, Mumbai 400 001
Lucknow Office: 520F, Kasmanda Apartments, 2 Park Road, Hazratganj, Lucknow 226 001, Fax: 0522 3031062/2239508



Form –IV
(See rule 13)
Annual Report

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

S.No	Particulars		
1.	Particulars of the Occupier	:	Rosa Power Supply Co. Ltd
	(i) Name of the authorized person (occupier or operator of facility)	:	Dr. Farhat A Khan
	(ii) Name of HCF or CBMWTF	:	M/s SP Green Light Environment Waste Management LLP
	(iii) Address for Correspondence	:	P.O: Rausar Kothi, District- Shahjahanpur, U.P
	(i) Address of Facility		Bareilly
	(ii) Tel. No. Fax. No.	:	05842301248
	(V) E-mail ID	:	Farhat.a.khan@relianceada.com
	(i) URL of Website	:	NA
	(ii) GPS coordinates of HCF of CBMWTF		NA
	(iii) Ownership of HCF of CBMWTF		(State Government or Private or Semi Govt. or any other)
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	Authorization No. 1860/BMW-64/2020 dated 05.02.2020
	(v) Status of Consents under Water Act and Air Act.	:	One time Authorization Valid up to: 31.12.2023
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds-0
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry.	:	NA
3.	Details if CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	NA
	(ii) No. of beds covered by CBMWTF	:	NA
	(iii) Installed treatment and disposal capacity of CBMWTF	:	3600kg/day
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	2700kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category: 400g /Annum Red Category: 10kg /Annum Blue Category: 6kg / Annum
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility		



	(i) Details of the on-site storage facility	:	Size : Different Category of Colored Bin
			Capacity: 5 kg/day
			Provision of on-site storage : (cold storage or any other provision)
	(ii) Disposal Facilities	:	Type of treatment Equipment
			No of Units
			Capacity Kg/day
			Quantity treated or disposed In Kg per Annum
			Incinerators
			Plasma Paralysis
			Autoclaves
			Microwave
			Hydroclave
			Shredder
			Needle tip cutter or
			Destroyer
			Sharps
			encapsulation or
			concrete pit
			Deep Burial pits:
			Chemical disinfection
			Any other treatment equipment: ----NA
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. Red Category (like plastic, glass etc.)	:	NA – All categories of waste given to M/s SP Green Light Environment Waste Management LLP, an authorized biomedical waste recyclers only.
	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	01, Owned by M/s SP Green Light Environment Waste Management LLP
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)		Quantity Generated
			Where disposal
			Incineration NA
			Ash NA
			ETP Sludge NA
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s SP Green Light Environment Waste Management LLP
	(vii) List of member HCF not handed over bio-medical waste.	:	NA
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held	:	Yes, MoM is enclosed as Annexure_1.



	during the reporting period.		
7.	Detail trainings conducted on BMW		
	(i) Number of training conducted on BMW Management.		Once in a month
	(ii) Number of personnel trained		8
	(iii) Number of personnel trained at the time of induction		8
	(iv) Number of personnel not undergone any training so far.		All medical staff is well aware about Bio-Medical Waste Management.
	(v) Whether standard manual for training is available?		Yes
	(vi) Any other information)		No
8.	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		NIL
	(ii) Number of the persons affected		NIL
	(iii) Remedial Action taken (Please attach details if any)		NA
	(iv) Any Fatality occurred, details.		NIL
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		There is no incinerator facility at RPSCL. Bio medical waste is sent is to authorized CBMWTF.
	Details of Continuous online emission monitoring systems installed		NA
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		NA
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12.	Any other relevant information		(Air Pollution Control Device attached with the incinerator.) - NA

Certified that the above report is for the period from January 2021 to December 2021.



Name and Signature of the Head of the Institution

Date:15.06.2022

Place: Rosa Power Supply Co. Ltd.

Station Director (Occupier)
Rosa Power Supply Co. Ltd
Shahjahanpur (U.P.) 242401